MAINSTREAM COMPUTING FOR A VARIETY OF BUSINESS USES

ThinkCentre M90t Gen 3

Engineered for exacting performance, this most powerful desktop makes multitasking a breeze with up to 12th Gen Intel core i9 processors and a host of expansion solutions. The tower supports high-performance graphics up to NVIDIA GeForce RTX 3070 to deliver near-perfect 3D renderings, immersive gaming, and VR experiences. With an ultra-responsive DDR5 memory up to 128 GB, get to your data-heavy files and advanced applications in a flash.



REASONS TO BUY

Connect up to 4 independent displays and industry-specific equipment with onboard ports, which include 5x USB ports, 1x HDMI, and 2x DisplayPort ports. Plus, it has an array of optional ports including 1x Thunderbolt™ 4 and 4x USB-C ports for transferring data at lightning speed.

Smar

technology

for all

enov

With plentiful storage capacity of up to 5 drives, including up to three 2.5" HDD and two M.2 SSD bays, and many expansion slots, including four tool-less PCle slots, its expandability is limitless.

Configure with responsive SSD storage, NVIDIA Geforce RTX 3070 Ti graphics and Intel Core™ i9 processor to support seamless multitasking of graphic design workloads.

The ThinkCentre M9 Series offers more expansion and performance capabilities than any other desktop in our portfolio; perfect for users who need higher computing performance than average.

ThinkCentre M90t Gen 3

KEY SPECIFICATIONS

Processor	Intel® Pentium®, or 12th Generation Intel Core™ i3 / i5 / i7 / i9 Processor		
Operating System	Powered by up to Windows 11 Pro		
Graphics	Intel UHD graphics 710/730/770 all integrated in processor, NVIDIA® GeForce® RTX™3070 Ti (discrete), Intel Iris® Xe MAX 100 (discrete), AMD Radeon™ RX 6400/6500XT (discrete), NVIDIA GeForce GTX 1660 SUPER (discrete), NVIDIA GeForce RTX 3050/3060 (discrete)	Optiona	
Memory	Up to 128GB DDR5		
Storage	Up to five drives, 2x 2.5"/3.5" HDD + 1x 2.5" HDD + 2x M.2 SSD (2.5" HDD up to 1TB each, 3.5" HDD up to 2TB, M.2 SSD up to 2TB)		
Optical	optional DVD-ROM or DVD burner		
Additional Internal Bays	Optional 3.5" Bay		
Expansion Slots	One PCIe 4.0 x16, full-height, One PCIe 4.0 x16 (x4 signal), full-height, Two PCIe 3.0 x1, full-height, Three M.2 slots (one for WLAN, two for SSD)		
Power Supply	One of the following 300W 90% 500W 92% 750W 92%	Ethern	
Dimensions	170 x 298 x 376 mm (6.7 x 11.7 x 14.8 inches)		
Weight	starting at 6.5kg (14.3lbs)	SECUE	

CONNECTIVITY

n®, or 12th Generation Intel Core™i3/i5/i7/i9	Front I/O	1x USB-C 3.2 Gen 2 (15W charging), 2x USB 3.2 Gen 1, 2x USB 3.2 Gen 2, 1x headphone / microphone combo jack (3.5mm), 1x microphone (3.5mm), 1x card reader (optional)	
p to Windows 11 Pro			
phics 710/730/770 all integrated in IDIA® GeForce® RTX™3070 Ti (discrete), Intel Iris®	Rear I/O	4x USB 3.1 Gen 1, 1x HDMI 2.1 TMDS, 2x DisplayPort™ 1.4, 1x Ethernet (RJ-45), 1x line-out (3.5mm).	
liscrete), AMD Radeon™ RX 6400/6500XT DIA GeForce GTX 1660 SUPER (discrete), NVIDIA 3050/3060 (discrete)	Optional Rear Ports	One of the following 1x DP 1.2 (Flex IO) 1x HDMI 2.0 (Flex IO) 1x Serial 1x Serial + 1x 2nd Serial 1x Serial + 1x 2nd Serial + 1x DP 1.2 (Flex IO) 1x Serial + 1x HDMI 2.0 (Flex IO) 1x Serial + 1x VGA (Flex IO) 1x Serial + 2x USB 2.0 1x USB-C 3.2 Gen 1 (Flex IO) 1x VGA (Flex IO) 1x VGA (Flex IO) + 2x USB 3.2 Gen 1 + 2x USB 2.0 + 1x Serial 2x PS/2 2x PS/2 + 1x Serial + 2x USB 2.0 2x PS/2 + 1x VGA (Flex IO) 2x USB 2.0 2x USB 2.0 + 1x DP 1.2 (Flex IO) 2x USB 2.0 + 1x USB-C 3.2 Gen 1 (Flex IO) 2x USB 3.2 Gen 1 + 1x USB 3.2 Gen 1 + 1x	
DDR5			
es, 2x 2.5"/3.5" HDD + 1x 2.5" HDD + 2x M.2 SSD to 1TB each, 3.5" HDD up to 2TB, M.2 SSD up to			
ROM or DVD burner			
Bay		VGA (Flex IO) + 2x USB 2.0 + 1x Serial	
<16, full-height, One PCIe 4.0 x16 (x4 signal), full- le 3.0 x1, full-height, Three M.2 slots (one for r SSD)	WLAN + Bluetooth	One of the following Intel Wi-Fi 6 AX201, 11ax 2x2 + BT5.1 Intel Wi-Fi 6E AX211, 11ax 2x2 + BT5.1, vPro	
wing 00W 92% 750W 92%	Ethernet	One of the following Integrated 100/1000M Integrated 100/1000M + BN8E88 Integrated 100/1000M + RTL8168H Integrated 100/1000M +I350-T4	
'6 mm (6.7 x 11.7 x 14.8 inches)			
<g (14.3lbs)<="" td=""></g>			

GREEN CERTIFICATIONS

EPEAT Silver. EPEAT Gold. Energy Star 8.0 (all optional)

OTHER CERTIFICATIONS

(Optional) TÜV Rheinland® Low Noise, (Optional) TÜV Rheinland Ultra Low Noise, MIL-STD-810H military test passed

SECURITY & PRIVACY

Chassis Intrusion Switch E-Lock Discrete TPM 2.0, TCG certified, (Optional) E-lock, (Optional) Smart Cable Clip, Kensington® Security Slot, Padlock Loop

MANAGEABILITY

Intel vPro Enterprise Non-vPro

Recommended for this device



ThinkVision T32h-20

31.5" QHD (2560x1440) near-borderless monitor with 99% sRGB colour gamut

1x HDMI, 1x DisplayPort, 1x USB-C (data, video & data), 4x USB3.1, audio out

Lift, Tilt, Pivot, Swivel stand for viewing comfort. Integrated smartphone holder in base.



ThinkVision T34w-20

34" WQHD display with 1500R curvature, ultra-wide 21:9 aspect ratio, 3000:1 contrast ratio, 99% sRGB colour gamut

1x HDMI, 1x DisplayPort. Integrated USB hub (1x USB-C, 4x USB3.1). Audio out.

Lift, Tilt, Pivot, Swivel stand for viewing comfort. Integrated smartphone holder in base.



Warranty Extensions

Purchase additional warranty periods from 1 to 5 years

Buy at any point with or after your device purchase

Optional On-site Service

Information presented here may represent the maximum possible configurations for this product, but it does not necessarily reflect what is available in your region. Please ask your rep or check the specifications for specific Part Numbers in your region. © 2023 Lenovo. Products are available while supplies last. Lenovo is not responsible for photographic or typographic errors. Lenovo, the Lenovo logo, ThinkPad, ThinkCentre, ThinkBook, ThinkStation and ThinkVision are trademarks or registered trademarks of Lenovo. 3rd party product and service names may be trademarks of others. Depending on factors such as the processing capability of peripheral devices, file attributes, system configuration and operating environments, the actual data transfer rate of USB connectors will vary and is typically slower than published standards.