



AOC B3 24B30H3 computer monitor 60,5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Brand : AOC

Product family: B3

Article code: 24B30H3

Product name : 24B30H3

AOC B3 24B30H3. Display diagonal: 60,5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product color: Black



Display		Ports & interfaces	
Display diagonal *	60,5 cm (23.8")	HDMI version	1.4
Display resolution *	1920 x 1080 pixels	Headphone out *	✗
HD type *	Full HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	✓
Display technology *	LED	Panel mounting interface	100 x 100 mm
Panel type *	IPS	Cable lock slot *	✓
LED backlight	✓	Height adjustment *	✗
Backlight type	W-LED	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 23°
Response time *	4 ms	Power	
Response time measurement type	GTG (Gray to Gray)	Energy efficiency class (SDR) *	Not available
Response time (MPRT)	1 ms	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat	Power consumption (typical) *	19 W
Contrast ratio (typical) *	1500:1	AC adapter output voltage	19 V
Maximum refresh rate *	120 Hz	Power supply type	External
Viewing angle, horizontal	178°	Weight & dimensions	
Viewing angle, vertical	178°	Width (with stand)	544 mm
Display number of colors *	16.7 million colours	Depth (with stand)	185,9 mm
Pixel pitch	0,2745 x 0,2745 mm	Height (with stand)	412,8 mm
Multimedia		Weight (with stand)	2,47 kg
Built-in speaker(s) *	✗	Width (without stand)	544 mm
Built-in camera *	✗	Depth (without stand)	34,7 mm
Design		Height (without stand)	318,5 mm
Market positioning *	Consumer	Weight (without stand)	2,21 kg
Product color *	Black	Packaging data	
Frameless design	✓	Package weight	4,12 kg
Ports & interfaces		Other features	
Built-in USB hub *	✗		
VGA (D-Sub) ports quantity	1		

Ports & interfaces		Other features	
HDMI *	✓	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
HDMI ports quantity	1	Mean time between failures (MTBF)	30000 h

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.