

HP Color LaserJet Pro MFP 3303fdn Laser 600 x 600 DPI 25 ppm

Brand: HP Article code: 499M7A

Product name: Color LaserJet Pro MFP 3303fdn

HP Color LaserJet Pro MFP 3303fdn. Print technology: Laser, Printing: Colour printing, Maximum resolution: 600×600 DPI, Print speed (color, normal quality, A4/US Letter): 25 ppm. Copying: Colour copying, Maximum copy resolution: 600×600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200×1200 DPI. Duplex functions: Print, Copy





Printing		Input & output capacity	
Duplex printing mode	Auto 600 x 600 DPI 600 x 600 DPI Laser Colour printing	Maximum output capacity	100 sheets
Print resolution colour		Paper handling	
Print resolution black		Maximum print size	216 x 355.6 mm
Print technology * Printing *		Paper tray media types *	Bond paper, Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Letterhead, Plain paper, Recycled
Duplex printing *	Colour printing		
Maximum resolution *	600 x 600 DPI	Tuper day media cypes	paper, Rough paper, Thick paper,
Print speed (black, normal quality,			Transparencies
A4/US Letter) *	25 ppm	Ports & interfaces	
Print speed (colour, normal quality, A4/US Letter)	25 ppm	USB port	✓
Warm-up time	55 s	Network	
Time to first page (black, normal)	10.9 s	Ethernet LAN *	✓
Copying		Cabling technology	10/100/1000Base-T(X)
Duplex copying *	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Copying *	Colour copying	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Maximum copy resolution *	600 x 600 DPI	Performance	
Time to first copy (black, normal)	9.7 s	Maximum internal memory	512 MB
Time to first copy (colour, normal)	13.9 s	Internal memory *	512 MB
Maximum number of copies	999 copies	Built-in processor	✓
Copier resize	25 - 400%	Processor frequency	1200 MHz
Auto fit function	✓	Sound pressure level (printing)	51 dB
Scanning		Sound pressure level (scanning)	41 dB
Duplex scanning *	×	Sound power level (printing)	6.3 dB
Scanning *	* Colour scanning canning resolution * 1200 x 1200 DPI	Design	
Optical scanning resolution *		Market positioning *	Business
Optical scanning resolution (black)		Brand-specific features	
Optical scanning resolution (colour) 1200 x 1200 ppi Optical scanning resolution (ADF) 300 x 300 DPI Maximum scan area 216 x 297 mm	300 x 300 DPI	HP Auto-On/Auto-Off	/

		B	
Scanning		Brand-specific features	
Scanner type * Scan technology Scan speed (colour) Scan speed (black) Image formats supported	Flatbed & ADF scanner CIS 8 ppm 19 ppm JPG, TIFF	HP GTIN (EAN/UPC) with options	(AB0) 196786387722; (ACJ) 196786387746; (ACQ) 196786387753; (B13) 196786387760; (B19) 196786387777; (BBU) 196786387784
Document formats supported Input colour depth	PDF 24 bit	HP GTIN (EAN/UPC)	196786387722, 196786387746, 196786387753, 196786387760, 196786387777, 196786387784
Greyscale levels Scan drivers	256 TWAIN	System requirements	
Fax		Windows operating systems	Windows 10, Windows 11
Fax resolution (black)	300 x 300 DPI	supported	Mac OS X 12.0 Monterey, Mac OS X
Fax transmission speed	3 sec/page	Mac operating systems supported	13.0 Ventura
Modem speed	33.6 Kbit/s	Other operating systems supported	IOS, LINUX, ANGROIG
Fax memory Auto redialing	500 pages	Operational conditions	10.00%
Auto-redialing Speed dialling	*	Operating relative humidity (H-H) Recommended humidity operating	10 - 80%
Fax forwarding	4	range	30 - 70%
Fax delayed sending	· /	Operating temperature (T-T)	15 - 30 °C
Auto reduction	✓	Certificates	
Features Recommended duty cycle Maximum duty cycle * Duplex functions * Digital sender Number of print cartridges *	150 - 2500 pages per month 40000 pages per month Print, Copy 4	Certification	EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other EMC approvals as required by individual countries.
Printing colours *	Black, Cyan, Magenta, Yellow	Sustainability	
Printer fonts	Scalable, TrueType	Sustainability compliance	✓
All-In-One-multitasking Country of origin	✓ Vietnam	Sustainability certificates	Post-Consumer Recycled Plastic
Replacement cartridges	HP 222A Black Original LaserJet Toner Cartridge (~1,300 pages) W2220A; HP 222A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2221A; HP 222A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2222A; HP 222A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2223A; HP 222X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2220X; HP 222X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2221X; HP 222X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2222X; HP 222X High Yield	Weight & dimensions	
		Width	418 mm
		Depth	419.1 mm
		Height	341.3 mm
		Packaging data	
		Package width	497 mm
		Package depth Package height	398 mm 532 mm
		Package weight	20.6 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	600 pages
	Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2223X	Included cartridge capacity (CMY)	500 pages
HP segment	Small medium business	Cables included	AC
Input & output capacity		Manual	✓
Total number of input trays *	2	Logistics data	
Total output capacity *	100 sheets	Harmonized System (HS) code	8443310000
Auto document feeder (ADF)	✓	Pallet gross weight	495.4 g
Auto document feeder (ADF) input capacity	50 sheets	Layers per pallet Products per pallet	4 pc(s) 24 pc(s)
Maximum number of input trays	2	Technical details	24 ρc(5)
Maximum input capacity	251 sheets	Master (outer) cases per pallet layer	6 nc(s)
			υ ρε(ο)
		Other features	10 usor(s)
		Number of users Pallet dimensions (W x D x H)	10 user(s) 1200 x 1000 x 2129 mm

Other features

Recommended system requirements

Pallet dimensions (W \times D \times H)

(imperial)

Pallet weight (imperial)

Acoustic power emissions (ready) Acoustic pressure emissions bystander (ready) Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection

1199.9 x 1000 x 2129 mm (47.2 x

39.4 x 83.8")

495.4 kg (1092.2 lbs)

23 dB 16 dB























Disclaimed. The information published here (the "Information Vis based on sources that can be considered reliable, typically the manufacturer, but this Information is provided. AS IS" and winduit quarantee of correctness or completeness. The Information can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party 0.19.6 17.8 6.38 17.7 4.6 formation or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.