



Canon MAXIFY GX5040 inkjet printer Color 600 x 1200 DPI A4 Wi-Fi

Brand : Canon

Product family: MAXIFY

Article code: 5550C009

Product name : GX5040

Canon MAXIFY GX5040. Color, Number of print cartridges: 4, Maximum duty cycle: 45000 pages per month. Maximum resolution: 600 x 1200 DPI. Maximum ISO A-series paper size: A4. Duplex printing. Display: LCD. Wi-Fi. Product color: White



Features		Network	
Duplex printing *	✓	Security algorithms	WEP, WPA-PSK, WPA2-PSK
Duplex printing mode	Auto	Mobile printing technologies	Apple AirPrint, Canon Easy-PhotoPrint, Mopria Print Service, PIXMA Cloud Link
Printing colours *	Black, Cyan, Magenta, Yellow		
Ink tank system	✓		
Colour *	✓		
Maximum duty cycle *	45000 pages per month		
Number of print cartridges *	4		
Printing		Performance	
Maximum resolution *	600 x 1200 DPI	Sound pressure level (printing)	49 dB
Time to first page (black, normal)	7 s		
Time to first page (colour, normal)	8 s		
Input & output capacity		Design	
Total number of input trays *	2	Market positioning *	Home & office
Total input capacity *	350 sheets	Product colour *	White
Maximum number of input trays *	2	Built-in display *	✓
Maximum input capacity	350 sheets	Display	LCD
		Colour display	✗
Paper handling		Power	
Maximum print size	216 x 356 mm	Power consumption (printing) *	20 W
Maximum ISO A-series paper size *	A4	Power consumption (off)	0.2 W
Paper tray media types *	Glossy paper, Labels, Photo paper, Plain paper, Semi-glossy paper	Power consumption (standby)	1.4 W
ISO A-series sizes (A0...A9) *	A4, A5, A6	Energy Star Typical Electricity Consumption (TEC)	0.12 kWh/week
ISO B-series sizes (B0...B9)	B5	AC input voltage	100 - 240 V
Envelopes sizes	Com-10, DL	AC input frequency	50 - 60 Hz
Photo paper sizes	13x18,20x25,10x15,18x25		
Paper tray media weight	64 - 105 g/m ²	System requirements	
		Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
		Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur
		Other operating systems supported	ChromeOS

Ports & interfaces		Operational conditions	
USB port *	✓	Operating temperature (T-T)	5 - 35 °C
Direct printing	✓	Operating relative humidity (H-H)	10 - 90%
Network		Weight & dimensions	
Ethernet LAN *	✓	Width	399 mm
Wi-Fi *	✓	Depth	639 mm
Wi-Fi Direct *	✓	Height	332 mm
Wi-Fi standards	802.11a, 802.11g, Wi-Fi 4 (802.11n)		Weight 9 kg
Packaging data			
		Cartridge(s) included	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-DEC-2024. Prints or copies of Information are only valid on the printed Publication date