



## HP V27i G5 FHD Monitor

**Brand :** HP

**Article code:** 65P64AA

**Product name :** V27i G5 FHD Monitor

V27i G5 FHD Monitor

[HP V27i G5 FHD Monitor:](#)

### Everyday Productivity


Expand your view and your productivity with this 27-inch diagonal, FHD monitor when you're working or learning. This sleek, sizeable monitor makes computing easy and complete via a crisp, smooth screen and simple design, so you can do more everyday.

HP V27i G5 FHD Monitor. Display diagonal: 68,6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Display surface: Matt, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product color: Black



Display		Ports & interfaces	
Display diagonal *	68,6 cm (27")	HDCP	✓
Display resolution *	1920 x 1080 pixels	<b>Ergonomics</b>	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LCD	Cable lock slot *	✓
Panel type *	IPS	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 20°
Display brightness (typical)	250 cd/m²	On Screen Display (OSD)	✓
Response time *	5 ms	<b>Power</b>	
Response time measurement type	GTG (Gray to Gray)	Energy efficiency class (SDR) *	E
Display surface	Matt	Energy efficiency class (HDR) *	E
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	20 kWh
Screen shape *	Flat	Power consumption (typical) *	25 W
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)	Power consumption (standby) *	0,5 W
		Power consumption (max)	35 W
		Power consumption (off)	0,3 W
		AC input voltage	100 - 240 V
Aspect ratio	16:9	AC input frequency	50/60 Hz
Contrast ratio (typical) *	1000:1	Power supply type	Internal
Contrast ratio (dynamic)	10000000:1	Energy efficiency scale	A to G
Maximum refresh rate *	75 Hz	<b>Operational conditions</b>	
Viewing angle, horizontal	178°	Operating temperature (T-T)	5 - 35 °C
Viewing angle, vertical	178°	Operating relative humidity (H-H)	5 - 95%
Display number of colors *	16.7 million colours	Storage relative humidity (H-H)	20 - 80%
Pixel pitch	0,31 x 0,31 mm	<b>Weight &amp; dimensions</b>	
Pixel density	82 ppi	Width (with stand)	611 mm
Horizontal scan range	30 - 86 kHz	Depth (with stand)	190,3 mm
Vertical scan range	48 - 75 Hz	Height (with stand)	438,4 mm
Viewable size, horizontal	59,8 cm	Weight (with stand)	5,08 kg
Viewable size, vertical	33,6 cm		
Display diagonal (metric)	68,6 cm		


Display		Weight & dimensions	
Surface hardness	3H	Width (without stand)	611 mm
Color depth	8 bit	Depth (without stand)	57,1 mm
Colour gamut standard	NTSC	Height (without stand)	365,5 mm
Color gamut	72%	Packaging data	
NTSC coverage (typical)	72%	Package width	685 mm
Display bezel technology	Micro-Edge	Package depth	137 mm
Performance		Package height	425 mm
NVIDIA G-SYNC *	✗	Package weight	7,64 kg
AMD FreeSync *	✓	Package type	Box
AMD FreeSync type	FreeSync	Packaging content	
Flicker-free technology	✓	Stand included	✓
Low Blue Light technology	✓	Cables included	AC, HDMI
HP segment	Home	Quick start guide	✓
Multimedia		Sustainability	
Built-in speaker(s) *	✗	Sustainability compliance	✓
Built-in camera *	✗	Sustainability certificates	ENERGY STAR, TCO
Design		Other features	
Market positioning *	Home	Country of origin	China
Product color *	Black	UNSPSC-code	43211902
Detachable stand	✓	Weight	5,08 kg
Feet color	Black	Height	365,5 mm
Ports & interfaces		Width	611 mm
Built-in USB hub *	✗	Depth	57,1 mm
VGA (D-Sub) ports quantity	1	Compliance certificates	BIS, BSMI, C-TICK, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), RCM, VCCI, cTUVus
HDMI *	✓		
HDMI ports quantity	1		
HDMI version	1.4	Logistics data	
DisplayPorts quantity	1	Harmonized System (HS) code	85285210
DisplayPort version	1.2		
Headphone out *	✗		



0196548413294




196548413294



0196548194612




196548194612




0196548413317




196548413317



0196548194414




196548194414



0196548194285




196548194285



0196548194674



196548194674



0196548194445




196548194445



0196548194506



196548194506



0196548194551



196548194551



5715063324561

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.