ASUS ROG Strix SCAR 18 G834JY-N6075X Intel® Core™ i9 i9-13980HX Laptop 45,7 cm (18") WQXGA 32 GB DDR5-SDRAM 1 TB SSD NVIDIA GeForce RTX 4090 Wi-Fi 6E (802.11ax) Windows 11 **Pro Black**

Article code: 90NR0CG1-**Brand:** ASUS **Product family: ROG**

M006S0

Product name: G834JY-







| Design Graphics Colour name Black Discrete graphics card * | | | | |
|---|---|------------------------------|---|---|
| Product type * Laptop On-board graphics card family Intel® UHD Graphics Product colour * Black On-board graphics card model * Intel® UHD Graphics Intel® UHD Graphics Intel® UHD Graphics On-board graphics card model * Intel® UHD Graphics Intel® UHD Graphics On-board graphics card model * Intel® Core is intel® USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity Orocessor Graphics On-board graphics on-board graphics Card under the Unitel® Under Sundatity Orocessor Graphics On-board graphics Card under the Under Sundatity Orocessor Graphics On-board graphics Card under Sundatity Orocessor Graphics On-board graphics Card under Sundatity Orocessor On-board Sundatity Orocessor On-Board Card Under Sundatity Orocessor Card Under Core is intel® Core | Design | | Graphics | |
| Introduction year 2023 Audio Audio Audio Audio System Audio System Audio System Audio System Audio | Product type * Product colour * Form factor * | Laptop Black Clamshell | On-board graphics card family On-board graphics card model * | Intel® UHD Graphics Intel® UHD Graphics |
| Display Audio system Number of built-in speakers Audio System Suilt-in speakers Audio System Suil | | • | Audio | |
| Touchscreen *XCameraHD typeWQXGAFront camera✓Panel typeIPSFront camera resolution1280 x 720 pixelsLED backlight✓Front camera HD typeHDNative aspect ratio16:10NetworkAnti-glare screen✓Top Wi-Fi standard *Wi-Fi 6E (802.11ax)RGB colour spaceDCI-P3Wi-Fi standardsWi-Fi 6E (802.11ax)Colour gamut100%Mobile network connection *XDisplay response rise/fall3 msAntenna type2x2Maximum refresh rate240 HzEthernet LAN✓High Dynamic Range (HDR) supported✓Ethernet LAN data rates10,100,1000,2500 Mbit/sHigh Dynamic Range (HDR) technologyDolby VisionBluetooth Bluetooth Bluetooth version✓ProcessorPorts & interfacesProcessor family *Intel® Core™ i9 ports quantity2Processor generation13th gen Intel® Core™ i9 ports quantityUSB 3.2 Gen 2 (3.1 Gen 2) Type-C | Display Display diagonal * | , , | Number of built-in speakers | 4 |
| HD type WQXGA Front camera ✓ Panel type IPS Front camera resolution 1280 x 720 pixels LED backlight ✓ Front camera HD type HD Native aspect ratio 16:10 Network Anti-glare screen ✓ Top Wi-Fi standard * Wi-Fi 6E (802.11ax) RGB colour space DCI-P3 Wi-Fi standards Wi-Fi 6E (802.11ax) Colour gamut 100% Mobile network connection * X Display response rise/fall 3 ms Antenna type 2x2 Maximum refresh rate 240 Hz High Dynamic Range (HDR) Usion Bluetooth ✓ Ethernet LAN data rates 10,100,1000,2500 Mbit/s Supported High Dynamic Range (HDR) Bluetooth ✓ Sethernet LAN data rates 10,100,1000,2500 Mbit/s Bluetooth ✓ Sethernet LAN data rates 10,100,1000,2500 Mbit/s Bluetooth Version 5.2 Processor Processor manufacturer * Intel Core™ i9 Ports & interfaces Processor generation 13th gen Intel® Core™ i9 Ports quantity Processor ores 24 Ethernet LAN (RJ-45) ports 1 Processor ores 24 HDMI ports quantity * 1 Processor boost frequency 5.6 GHz Profermance cores 8 Efficient cores 16 Intel® Thunderbolt 4 ports quantity 1 | , , | • | Camera | |
| Anti-glare screen RGB colour space DCI-P3 Wi-Fi standard* Wi-Fi 6E (802.11ax) Ni-Fi 6E (802.1ax) Ni-Fi 6E (80.1ax) Ni-Fi 6E (8 | HD type Panel type | WQXGA IPS | Front camera resolution | 1280 x 720 pixels |
| RGB colour space DCI-P3 Wi-Fi standards Wi-Fi 6E (802.11ax) Colour gamut 100% Mobile network connection * X Display response rise/fall 3 ms Antenna type 2x2 Maximum refresh rate 240 Hz Ethernet LAN | Native aspect ratio | 16:10 | Network | |
| Display response rise/fall 3 ms Maximum refresh rate 240 Hz High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Processor Processor Processor Processor manufacturer * Intel® Core™ i9 Processor generation 13th gen Intel® Core™ i9 Processor model * i9-13980HX Processor cores 24 Processor boost frequency 5.6 GHz Ethernet LAN Antenna type 2x2 Ethernet LAN ✓ Ethernet LAN data rates 10,100,1000,2500 Mbit/s Bluetooth version 5.2 Ports & interfaces Ports & interfaces 10-100,1000,2500 Mbit/s ✓ Bluetooth version 5.2 Ports & interfaces Processor generation 2.3.1 Gen 2) Type-A ports quantity Processor generation 13th gen Intel® Core™ i9 ports quantity Processor model * i9-13980HX Processor tores 24 Processor boost frequency 5.6 GHz Performance cores 8 Efficient cores 16 Performance-core Max Turbo 5 6 GHz | RGB colour space | DCI-P3 | ' | |
| High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Pollby Vision Bluetooth Bluetooth version Frocessor Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor cores Processor boost frequency Performance cores Bluetooth Bluetooth version Forts & interfaces Ports & interfaces USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity Ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Performance-core Max Turbo Forts GHz Ethernet LAN data rates 10,100,1000,2500 Mbit/s Flunderbolt A Thunderbolt 4 Forts & interfaces 10,100,1000,2500 Mbit/s Flunderbolt A Thunderbolt 4 Forts & interfaces 10,100,1000,2500 Mbit/s Flunderbolt A Forts & interfaces 10,100,1000,2500 Mbit/s Flunderbolt A Thunderbolt A Forts & interfaces 10,100,1000,2500 Mbit/s Flunderbolt A Thunderbolt A Forts & interfaces 10,100,1000,2500 Mbit/s Flunderbolt A Flunderb | Display response rise/fall | 3 ms | Antenna type | 2x2 |
| High Dynamic Range (HDR) technology Processor Processor Processor manufacturer * Intel Processor generation Processor model * i9-13980HX Processor cores Processor cores Processor boost frequency Performance cores Efficient cores 16 Performance-core Max Turbo Processor Bluetooth Bluetooth version 5.2 Ports & interfaces USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity Ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity I the ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * 1 HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 | | ✓ | | |
| Processor manufacturer * Intel Processor family * Intel® Core™ i9 Processor generation Processor model * i9-13980HX Processor cores Processor boost frequency Processor boost frequency Professor boost frequency Performance cores Performance-core Max Turbo Processor manufacturer * Intel® Core™ i9 ports quantity Processor generation Processor generation 13th gen Intel® Core™ i9 10SB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity Processor cores 14 Processor boost frequency Processor boost frequency Ferformance cores Performance cores Performance-core Max Turbo Processor manufacturer * Intel® Core™ i9 Ports quantity Processor generation Processor generation Processor intel® Core™ i9 Ports quantity Processor generation P | High Dynamic Range (HDR) | Dolby Vision | | |
| Processor family * Intel® Core™ i9 ports quantity Processor generation 13th gen Intel® Core™ i9 USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity Processor cores 24 Ethernet LAN (RJ-45) ports 1 Processor boost frequency 5.6 GHz Performance cores 8 HDMI version 2.1 Efficient cores 16 Thunderbolt 4 ports quantity 1 Performance-core Max Turbo 5.6 GHz | Processor | | Ports & interfaces | |
| Processor model * i9-13980HX Ethernet LAN (RJ-45) ports 1 Processor cores 24 HDMI ports quantity * 1 Processor boost frequency 5.6 GHz Performance cores 8 HDMI version 2.1 Efficient cores 16 Thunderbolt 4 ports quantity 1 Performance-core Max Turbo 5 6 GHz | | | ports quantity | 2 |
| Processor cores 24 Processor boost frequency Performance cores 8 HDMI ports quantity * 1 HDMI version 2.1 Thunderbolt 4 ports quantity 1 Intel® Thunderbolt 4 Intel® Thunderbolt 4 | | · · | | 1 |
| Performance-core Max Turbo 5.6 GHz | Processor cores Processor boost frequency Performance cores Efficient cores | 24 5.6 GHz 8 | HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity | 1 2.1 1 |
| | | 5.6 GHz | | |

| Processor | | Ports & interfaces | |
|---|--|--|--|
| Efficient-core Max Turbo Frequency Efficient-core boost frequency Processor cache Processor cache type | 4 GHz 4 GHz 36 MB Smart Cache | Charging port type Power adapter barrel connector USB Type-C DisplayPort Alternate Mode | DC-in jack 6.0 mm ✓ |
| Processor base power | 55 W | Performance | |
| Maximum turbo power | 157 W | Repairability index | 8.6 |
| Memory | | Keyboard | |
| Internal memory * Internal memory type Memory clock speed Memory form factor Memory layout (slots x size) Memory slots Maximum internal memory * | 32 GB DDR5-SDRAM 4800 MHz SO-DIMM 2 x 16 GB 2x SO-DIMM 64 GB | Pointing device Numeric keypad * Keyboard backlit Keyboard backlit colour Keyboard backlit zone Software | Touchpad |
| Memory channels | Dual-channel | Operating system architecture | 64-bit |
| Storage | | Operating system installed * | Windows 11 Pro |
| Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated | 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 ✓ M.2 × | Battery Battery technology Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage | Lithium-lon (Li-lon) 4 90 Wh 330 W 50 - 60 Hz 100 - 240 V 16.5 A 20 V |
| Graphics | | USB Power Delivery (USB PD) * | ✓ |
| Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer | NVIDIA NVIDIA GeForce RTX 4090 16 GB GDDR6 Intel | Trusted Platform Module (TPM) Password protection Password protection type Weight & dimensions Width Depth Height (front) Height (rear) Weight * | ✓ ✓ BIOS, User 399 mm 294 mm 2.31 cm 3.08 cm 3.1 kg |



4711387292884

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.