
Epson WorkForce DS-50000 Flatbed scanner 600 x 600 DPI A3 White

Brand : Epson Product family: WorkForce Article code: B11B204131

Product name: DS-50000







Scanning		Packaging content	
Optical scanning resolution * Color scanning Input color depth Output color depth Film scanning Flatbed scan speed (b/w, A3)	600 x 600 DPI 16 bit 48 bit x 4 sec/page	Bundled software	ABBYY FineReader Sprint 8.0 (MacOS), ABBYY FineReader Sprint 9.0 (Windows), Epson Document Capture Pro, Epson Document Capture Pro Server (on free download), Epson Event Manager (Mac Only), EpsonNet Config, Epson Scan
Design		Sustainability	
Scanner type *	Flatbed scanner White	Sustainability certificates	ENERGY STAR
Product color *		System requirements	
Display	X	Mac compatibility	✓
Built-in display * Paper handling	×		Mac OS 10.4+, Presentation Server 4.5, Terminal Service, Windows 7,
Maximum ISO A-series paper size * ISO A-series sizes (A0A9) ISO B-series sizes (B0B9) Letter Legal	A3 A3, A4, A5, A6 B4, B5, B6	Compatible operating systems	Windows 7 x64, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64, Windows server 2003 R2, XenApp 5.0, XenApp 6.0
Ports & interfaces		Operational conditions	
USB port * USB version Standard interfaces	2.0 USB 2.0	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	10 - 80 °C 10 - 85 °C 5 - 35% -25 - 60%
Power		Other features	
Power supply type *	AC 25,5 W	Network ready	×
Power consumption (typical) Power consumption (standby)	1,5 W	Standard media sizes	A3, A4, A5, A6, B4, B5, B6, Letter, Legal, Executive
Input voltage	100-240 V	Box contents	Power cable, Setup guide, Software (CD), USB cable, Warranty
Weight & dimensions	640 mm	document, Main unit	
Width Depth	468 mm		

Weight & dimensions		Logistics data	
Height Weight	156 mm 14,8 kg	Quantity per pallet Country of origin	5 pc(s) China
Packaging data		Pallet length	120 cm
Quantity per pack 1 pc(s) Package width 360 mm Package depth 844 mm Package height 635 mm Package weight 18,5 g	Pallet width Pallet height Quantity per pallet layer Quantity per pallet layer (UK) Quantity per pallet (UK) Pallet length (UK)	80 cm 162,5 cm 1 pc(s) 1 pc(s) 5 pc(s) 120 cm	
		Pallet width (UK) Pallet height (UK) Harmonized System (HS) code	100 cm 162,5 cm 84716070



8715946499253

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.