

Epson WorkForce DS-60000N Flatbed & ADF scanner 600 x 600 DPI A3 Grey

Brand : Epson

Product family: WorkForce

Article code: B11B204231BT

Product name : DS-60000N

Epson WorkForce DS-60000N. Maximum scan size: 297 x 2540 mm, Optical scanning resolution: 600 x 600 DPI, Input color depth: 16 bit. Scanner type: Flatbed & ADF scanner, Product color: Grey. Daily duty cycle (max): 5000 pages, Scan file formats: JPG, PDF, TIFF, Scan to: E-mail Server, Fax. Standard input capacity: 200 sheets. Maximum ISO A-series paper size: A3, ISO A-series sizes (A0...A9): A3, A4, A5, A6, ISO B-series sizes (B0...B9): B4, B5, B6



Scanning		Packaging content	
Maximum scan size *	297 x 2540 mm	Bundled software	ABBYY FineReader Sprint 8.0 (MacOS), ABBYY FineReader Sprint 9.0 (Windows), Epson Document Capture Pro, Epson Document Capture Pro Server (on free download), Epson Scan, EpsonNet Config, Epson Event Manager (Mac Only)
Optical scanning resolution *	600 x 600 DPI		
Color scanning	✓		
Duplex scanning *	✓		
Input color depth	16 bit		
Output color depth	48 bit		
Film scanning	✗		
ADF scan speed (b/w, A4)	40 ppm	Sustainability	
ADF scan speed (color, A4)	40 ppm	Sustainability certificates	ENERGY STAR
Design		System requirements	
Scanner type *	Flatbed & ADF scanner	Mac compatibility	✓
Product color *	Grey	Compatible operating systems	Mac OS 10.4+, Presentation Server 4.5, Terminal Service, Windows 7, Windows 7 x64, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64, Windows server 2003 R2, XenApp 5.0, XenApp 6.0
Display	✓		
Built-in display *	✓		
Performance		Operational conditions	
Scan file formats	JPG, PDF, TIFF	Operating temperature (T-T)	5 - 35 °C
Daily duty cycle (max) *	5000 pages	Storage temperature (T-T)	-25 - 60 °C
Scan to	E-mail Server, Fax	Operating relative humidity (H-H)	10 - 80%
		Storage relative humidity (H-H)	10 - 85%
Input capacity		Other features	
Standard input capacity	200 sheets	Network ready	✓
Paper handling		Standard media sizes	A3, A4, A5, A6, B4, B5, B6, Letter, Legal, Executive
Maximum ISO A-series paper size *	A3		
ISO A-series sizes (A0...A9)	A3, A4, A5, A6		
ISO B-series sizes (B0...B9)	B4, B5, B6		
Letter	✓		
Legal	✓		

Ports & interfaces		Other features	
Standard interfaces	Ethernet	Box contents	Main unit, Epson Network Interface Panel, Power cable, Setup guide, Software (CD), Warranty document
Network			
Ethernet LAN	✓		
Power		Special features	One keypress, RGB colour dropout, Skip blank page, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic area segmentation, Automatic de-skew, Automatic B/W colour original detection, RGB colour enhance, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge enhancement, Advanced cropping feature for Auto size, Unsharp Mask (USM), Descreening, Book spine correction, Automatic Folder Creation, Barcode Recognition, Zonal OCR A & B support
Power supply type *	AC		
Power consumption (typical)	82 W		
Power consumption (standby)	4,1 W		
Input voltage	100-240 V		
Weight & dimensions			
Width	640 mm		
Depth	522 mm		
Height	289 mm		
Weight	26,9 kg		
Packaging data		Logistics data	
Quantity per pack	1 pc(s)	Quantity per pallet	3 pc(s)
Package width	550 mm	Country of origin	China
Package depth	880 mm	Pallet length	120 cm
Package height	750 mm	Pallet width	80 cm
Package weight	35,2 g	Pallet height	103,5 cm
		Quantity per pallet layer	1 pc(s)
		Quantity per pallet layer (UK)	1 pc(s)
		Quantity per pallet (UK)	3 pc(s)
		Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	103,5 cm
		Harmonized System (HS) code	84716070



8715946510613

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.