

Epson WorkForce Pro WF-M5799DWF Inkjet A4 1200 x 1200 DPI 34 ppm Wi-Fi



Brand : Epson

Product family: WorkForce Pro **Article code:** C11CG04402

Product name : WF-M5799DWF

Epson WorkForce Pro WF-M5799DWF. Print technology: Inkjet, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 1200 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product color: Black, Grey

Printing		Network	
Duplex printing mode	Auto	Wi-Fi *	✓
Print technology *	Inkjet	Ethernet LAN *	✓
Printing *	Mono printing	Cabling technology	10/100/1000Base-T(X)
Duplex printing *	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Maximum resolution *	1200 x 1200 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Print speed (black, normal quality, A4/US Letter) *	34 ppm	Near Field Communication (NFC)	✓
Duplex print speed (black, normal quality, A4/US Letter)	15 ppm	Security algorithms	64-bit WEP, 128-bit WEP, IPsec, SNMP, SNMPv3, SSL/TLS, WPA-AES, WPA-PSK, WPA2-AES, WPA2-PSK
Time to first page (black, normal)	4.8 s	Mobile printing technologies	Apple AirPrint, Epson Connect, Epson Email Print, Epson Remote Print, Epson iPrint, Google Cloud Print
Secure printing	✓		
Copying		Design	
Duplex copying *	✓	Product colour *	Black, Grey
Copying *	Mono copying	Market positioning *	Business
Maximum copy resolution *	600 x 1200 DPI	Built-in display *	✓
Maximum number of copies	999 copies	Display	LCD
Copier resize	25 - 400%	Display diagonal	10.9 cm (4.3")
Scanning		Touchscreen	✓
Duplex scanning *	✓	Control type	Touch
Scanning *	Colour scanning	Colour display	✓
Optical scanning resolution *	1200 x 2400 DPI	Power	
Scanner type *	Flatbed & ADF scanner	Power consumption (average operating)	23 W
Scan technology	CIS	Power consumption (copying)	23 W
Scan to	E-mail, FTP, PC, USB	Power consumption (ready)	10 W
Scan speed (black)	24 inch/min	Power consumption (sleep)	1.4 W
Scan speed (colour)	24 inch/min	Power consumption (off)	0.2 W
Image formats supported	JPEG, TIFF	Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
Document formats supported	PDF	AC input voltage	220 - 240 V
Fax		AC input frequency	50 - 60 Hz
Fax transmission speed	3 sec/page	System requirements	
Modem speed	33.6 Kbit/s	Windows operating systems supported	✓
Fax memory	550 pages	Mac operating systems supported	✓
Fax memory	6 MB	Linux operating systems supported	✓
Speed dialling	✓	Sustainability	
Fax speed dialling (max numbers)	200	Sustainability certificates	ENERGY STAR
Fax forwarding	✓		
Fax forwarding to	E-mail, PC		
Fax delayed sending	✓		
Error Correction Mode (ECM)	✓		

Features		Weight & dimensions	
Recommended duty cycle	250 - 2500 pages per month	Width	425 mm
Maximum duty cycle *	45000 pages per month	Depth	535 mm
Page description languages	ESC/P-R, PCL 5e, PCL 6, PDF 1.7, PostScript 3	Height	357 mm
Country of origin	Indonesia	Weight	18.3 kg
Input & output capacity		Packaging data	
Total number of input trays *	2	Package width	535 mm
Total input capacity *	250 sheets	Package depth	545 mm
Total output capacity *	150 sheets	Package height	495 mm
Paper input type	Paper tray	Package weight	21.9 kg
Maximum input capacity	830 sheets	Quantity per pack	1 pc(s)
Paper handling		Packaging content	
Maximum ISO A-series paper size *	A4	Manual	✓
Paper tray media types *	Envelopes, Photo paper, Plain paper	Power cord included	✓
Multi-purpose tray media types	Envelopes, Plain paper	Quick installation guide	✓
ISO A-series sizes (A0...A9) *	A4, A5, A6	Logistics data	
ISO B-series sizes (B0...B9)	B5, B6	Pallet gross width	80 cm
Non-ISO print media sizes	Legal, Letter	Pallet gross length	120 cm
Envelopes sizes	10, C4, C5, C6, DL	Pallet gross height	102 cm
Photo paper sizes	9x13,10x15,13x18	Products per pallet layer	2 pc(s)
Paper tray media weight	64 - 256 g/m ²	Products per pallet	8 pc(s)
Ports & interfaces		Pallet width (UK)	100 cm
Direct printing *	✓	Pallet length (UK)	120 cm
USB port	✓	Pallet height (UK)	102 cm
USB connector	USB Type-A	Products per pallet layer (UK)	2 pc(s)
		Products per pallet (UK)	8 pc(s)
		Other features	
		Software CD	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-DEC-2024. Prints or copies of Information are only valid on the printed Publication date