

## Epson TM-H6000V-204 180 x 180 DPI Wired & Wireless Dot matrix POS printer

**Brand :** Epson

**Article code:** C31CG62204

**Product name :** TM-H6000V-204

Epson TM-H6000V-204. Print technology: Dot matrix, Type: POS printer, Maximum resolution: 180 x 180 DPI. Maximum roll diameter: 8,3 cm, Supported paper width: 80 mm, Maximum paper size (slip): 230 x 297 mm. Connectivity technology: Wired & Wireless, USB connector: USB Type-A / USB Type-B, Serial interface type: RS-232. Sound pressure level (printing): 55 dB, Sound pressure level (standby): 55 dB, Mean time between failures (MTBF): 180000 h. Product color: Black



Printing		Design	
Colour	✗	Product colour *	Black
Maximum resolution	180 x 180 DPI	<b>Power</b>	
Print speed	5.7 lps	AC input voltage	24 V
Print speed	350 mm/sec	<b>Operational conditions</b>	
Print speed (receipt)	350 mm/sec	Operating temperature (T-T)	5 - 45 °C
Character size	1.24 x 3.11 mm	Storage temperature (T-T)	-10 - 50 °C
Character density	17.8 cpi	Operating relative humidity (H-H)	10 - 90%
Printing characters	Text, Graphic, Barcode	Storage relative humidity (H-H)	10 - 90%
Character sets	ANK	<b>System requirements</b>	
Print technology *	Dot matrix	Pre-installed software	Server Direct Print, ePOS-Display, ePOS-Print
Type *	POS printer	<b>Weight &amp; dimensions</b>	
Paper handling		Width	186 mm
Maximum roll diameter	8.3 cm	Depth	278 mm
Supported paper width	80 mm	Height	181 mm
Maximum paper size (slip)	230 x 297 mm	Weight	4.4 kg
Ports & interfaces		<b>Packaging data</b>	
USB port *	✓	Quantity per pack	1 pc(s)
USB connector	USB Type-A / USB Type-B	Package width	294 mm
Serial interface *	✓	Package depth	385 mm
Serial interface type	RS-232	Package height	285 mm
Connectivity technology *	Wired & Wireless	Package weight	5.47 kg
Near Field Communication (NFC)	✓	<b>Print technology</b>	
Standard interfaces	Ethernet, NFC, RS-232, USB 1.1, USB 2.0	Column capacity	45 cps / 60 cps
Network		<b>Logistics data</b>	
Ethernet LAN *	✓	Pallet weight (UK)	0 g
Features		Harmonized System (HS) code	84433210
Sound pressure level (printing)	55 dB	Products per pallet	56 pc(s)
Sound pressure level (standby)	55 dB	Products per pallet layer	8 pc(s)
Mean time between failures (MTBF)	180000 h	Pallet gross width	80 cm
Cutter	✓	Pallet gross length	120 cm
Half-cutter	✓	Pallet gross height	78 cm
Autocutter durability	3 million cuts	Pallet gross weight	0 g

Features		Logistics data	
Paper save function	✔	Products per pallet (UK)	70 pc(s)
Print head life	200 km	Products per pallet layer (UK)	10 pc(s)
Country of origin	China	Pallet width (UK)	100 cm
Maximum number of copies (slip)	3 copies	Pallet length (UK)	120 cm
Printer receipt unit life	20000000 lines	Pallet height (UK)	78 cm
Printer slip unit life	27000000 lines	Technical details	
Ribbon life (slip)	4 million characters	Font size	1.41 mm (W) x 3.39 mm (H) / 0.99 mm (W) x 2.4 mm (H)
Built-in sensors details	Middle of Paper pass sensor, Front cover open sensor, Roll paper cover open sensor, Paper End Sensor, Top of Form sensor, Bottom of Form sensor, Slip eject sensor, Receipt near-end sensor	Changeable interface	✔
		Other features	
Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11, Directive 2014/30/EU	Buffer size	4 KB
		Electromagnetic compatibility	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11, Directive 2014/30/EU
		Mean cycles between failures (MCBF)	65000000
		Print head life	200000000 million characters



8715946651125

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-JAN-2025. Prints or copies of Information are only valid on the printed Publication date