



## DELL E Series E2425HM computer monitor 60,5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

**Brand :** DELL

**Product family:** E Series

**Article code:** DELL-E2425HM

**Product name :** E2425HM

DELL E Series E2425HM. Display diagonal: 60,5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product color: Black



| Display                        |   | Ergonomics                                |               |
|--------------------------------|---|---|---------------|
| Display diagonal *             | 60,5 cm (23.8")   | On Screen Display (OSD)                   | ✓             |
| Display resolution *           | 1920 x 1080 pixels  | Plug and Play                             | ✓             |
| HD type *                      | Full HD   | LED indicators                            | ✓             |
| Native aspect ratio *          | 16:9  | <b>Power</b>                              |               |
| Display technology *           | LCD   | Energy efficiency class (SDR) *           | D             |
| Panel type *                   | IPS   | Energy efficiency class (HDR) *           | Not available |
| LED backlight                  | ✓   | Energy consumption (SDR) per 1000 hours * | 14 kWh        |
| Backlight type                 | Edge LED  | Power consumption (typical) *             | 14,3 W        |
| Touchscreen *                  | ✗   | Power consumption (standby) *             | 0,3 W         |
| Display brightness (typical)   | 250 cd/m²   | Power consumption (max)                   | 28,5 W        |
| Response time *                | 8 ms  | Power consumption (off)                   | 0,3 W         |
| Response time measurement type | GTG (Gray to Gray)  | AC input voltage                          | 100 - 240 V   |
| Anti-glare screen              | ✓   | AC input frequency                        | 50/60 Hz      |
| Screen shape *                 | Flat  | Power supply type                         | Internal      |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080) | Energy efficiency scale                   | A to G        |
|                                |   | <b>Operational conditions</b>             |               |
| Supported video modes          | 480p, 576p, 720p, 1080p   | Operating temperature (T-T)               | 0 - 40 °C     |
| Contrast ratio (typical) *     | 1000:1  | Storage temperature (T-T)                 | -20 - 60 °C   |
| Maximum refresh rate *         | 100 Hz  | Operating relative humidity (H-H)         | 10 - 80%      |
| Viewing angle, horizontal      | 178°  | Storage relative humidity (H-H)           | 5 - 90%       |
| Viewing angle, vertical        | 178°  | Operating altitude                        | 0 - 5000 m    |
| Display number of colors *     | 16.7 million colours  | Non-operating altitude                    | 0 - 12192 m   |
| Response time (fast)           | 5 ms  | <b>Weight &amp; dimensions</b>            |               |
| Pixel pitch                    | 0,2745 x 0,2745 mm  | Width (with stand)                        | 538,6 mm      |
| Pixel density                  | 93 ppi  | Depth (with stand)                        | 171 mm        |
| Horizontal scan range          | 30 - 110 kHz  | Height (with stand)                       | 412,4 mm      |
| Vertical scan range            | 50 - 100 Hz   | Weight (with stand)                       | 3,15 kg       |
| Viewable size, horizontal      | 52,7 cm   | Width (without stand)                     | 538,6 mm      |
| Viewable size, vertical        | 29,6 cm   | Depth (without stand)                     | 47,7 mm       |
| Viewable size diagonal         | 60,5 cm   | Height (without stand)                    | 324,2 mm      |

| Display                     |              | Weight & dimensions                                |   |
|-----------------------------|--------------|--|---|
| Surface hardness            | 3H           | Weight (without stand)                             | 2,81 kg                                       |
| NTSC coverage (typical)     | 72%          | Bezel width (side)                                 | 5,8 mm  |
| Dell ComfortView technology | ✓            | Bezel width (top)                                  | 5,8 mm  |
| Performance                 |              | Bezel width (bottom)                               | 1,74 cm                                       |
|                             |              | Packaging data                                     |   |
|                             |              | Package weight                                     | 5,18 kg                                       |
|                             |              | Warranty card                                      | ✓   |
|                             |              | Packaging content                                  |   |
|                             |              | Stand included                                     | ✓   |
|                             |              | Cables included                                    | DisplayPort                                   |
|                             |              | Quick start guide                                  | ✓   |
|                             |              | DisplayPort cable length                           | 1,8 m   |
| Multimedia                  |              | Sustainability                                     |   |
| Built-in speaker(s) *       | ✗            | Sustainability certificates                        | ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO |
| Built-in camera *           | ✗            | Doesn't contain                                    | Arsenic, Mercury, PVC/BFR                     |
| Design                      |              | Carbon footprint                                   |   |
| Market positioning *        | Office       | Total carbon footprint (kg of CO2e)                | 149   |
| Product color *             | Black        | Carbon emissions, manufacturing (kg of CO2e)       | 66,603  |
| Front bezel color           | Black        | Carbon emissions, logistics (kg of CO2e)           | 9,685   |
| Feet color                  | Black        | Carbon emissions, energy usage (kg of CO2e)        | 70,328  |
| Ports & interfaces          |              | Carbon emissions, end-of-life (kg of CO2e)         | 2,235   |
| Built-in USB hub *          | ✗            | Total carbon emissions, w/o use phase (kg of CO2e) | 78,672  |
| VGA (D-Sub) ports quantity  | 1            | PAIA version                                       | GaBi version 1, 2024                          |
| HDMI *                      | ✓            | Other features                                     |   |
| HDMI ports quantity         | 1            | Compliance certificates                            | RoHS  |
| HDMI version                | 1.4          | Brand-specific features                            |   |
| DisplayPorts quantity       | 1            | Dell Display Manager (DDM) compatibility           | ✓   |
| DisplayPort version         | 1.2          |  |   |
| Headphone out *             | ✗            |  |   |
| HDCP                        | ✓            |  |   |
| HDCP version                | 1.4          |  |   |
| Ergonomics                  |              |  |   |
| VESA mounting *             | ✓            |  |   |
| Panel mounting interface    | 100 x 100 mm |  |   |
| Cable management            | ✓            |  |   |
| Cable lock slot *           | ✓            |  |   |
| Cable lock slot type        | Kensington   |  |   |
| Height adjustment *         | ✗            |  |   |
| Tilt adjustment             | ✓            |  |   |
| Tilt angle range            | -5 - 21°     |  |   |



5397184962428



0884116487449



884116487449



5715328096769



5715328096776

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.