


DELL Latitude 7400 Intel® Core™ i5 i5-8365U Laptop 35,6 cm (14") Full HD 8 GB DDR4-SDRAM 256 GB SSD Wi-Fi 5 (802.11ac) Windows 10 Pro Black, Carbon

Brand : DELL Product family: Latitude Article code: G1GN5

Product name: 7400







Design		Ports & interfaces	
Product type *	Laptop	Thunderbolt 3 ports quantity	1
Product colour *	Black, Carbon	Combo headphone/mic port	✓
Form factor *	Clamshell	Charging port type	DC-in jack
Display		SmartCard slot	✓
Display diagonal * 35.6 cm (14") Display resolution * 1920 x 1080 pixels	USB Type-C DisplayPort Alternate Mode	✓	
Touchscreen *	X	PowerShare	✓
HD type	Full HD ight ✓	Number of USB ports with PowerShare support	1
LED backlight		Performance	
Native aspect ratio	16:9 Matt	Repairability index	6.9
Display surface Display brightness	300 cd/m ²	Keyboard	
Dual-screen	X	Pointing device	Touchpad
Maximum refresh rate	60 Hz	Numeric keypad *	X
Processor		Keyboard backlit	✓
Processor manufacturer *	Intel	Windows keys	✓
Processor family *	Intel® Core™ i5	Software	
Processor generation	8th gen Intel® Core™ i5	Operating system architecture	64-bit
Processor model *	i5-8365U	Trial software	Microsoft Office
Processor cores Processor threads	4 8	Operating system installed *	Windows 10 Pro
Processor threads 8 Processor boost frequency 4.1 GHz	Processor special features		
Processor frequency * System bus rate	rocessor frequency * 1.6 GHz	Intel® My WiFi Technology (Intel® MWT)	✓
Processor cache	6 MB	Intel® Smart Response Technology	✓ ✓
Processor cache type	Smart Cache	Intel® Identity Protection	✓
Processor socket	BGA 1528	Technology (Intel® IPT)	•
Processor lithography	14 nm		

Processor		Processor special features	
Processor operating modes	64-bit	Intel® Hyper Threading Technology	1
Processor codename	Whiskey Lake	(Intel® HT Technology) Intel® Turbo Boost Technology	2.0
Thermal Design Power (TDP)	15 W	Enhanced Intel SpeedStep	
Configurable TDP-up frequency	1.9 GHz 25 W	Technology	•
Configurable TDP-up Configurable TDP-down	10 W	Intel® Clear Video HD Technology	√
Configurable TDP-down frequency	0.8 GHz	(Intel® CVT HD)	
Tjunction	100 °C	Intel Clear Video Technology	•
Maximum number of PCI Express	16	Intel® Quick Sync Video Technology	•
lanes	16	Intel Flex Memory Access	•
PCI Express slots version	3.0	Intel® AES New Instructions (Intel® AES-NI)	✓
PCI Express configurations	1x4, 2x2, 1x2+2x1, 4x1	Intel Trusted Execution Technology	✓
Memory		Intel VT-x with Extended Page	
Internal memory *	8 GB	Tables (EPT)	•
Internal memory type	DDR4-SDRAM	Intel® Secure Key	✓
Memory form factor	SO-DIMM	Intel TSX-NI	✓
Memory layout (slots x size)	1 x 8 GB	Intel Stable Image Platform Program	/
Memory slots Maximum internal memory *	2x SO-DIMM 32 GB	(SIPP)	
	J2 00	Intel® OS Guard	✓
Storage	256.00	Intel Software Guard Extensions (Intel SGX)	✓
Total storage capacity *	256 GB	Intel 64	✓
Storage media * Total SSDs capacity	SSD 256 GB	Execute Disable Bit	√
Number of SSDs installed	1	Idle States	√
SSD capacity	256 GB	Thermal Monitoring Technologies	✓
SSD interface	PCI Express	Processor package size	46x24 mm
SSD form factor	M.2	Supported instruction sets	SSE4.1, SSE4.2, AVX 2.0
Optical drive type *	×	CPU configuration (max)	1
Card reader integrated	✓	Embedded options available	×
Compatible memory cards	MicroSD (TransFlash), MicroSDHC,	Intel Virtualization Technology for	√
,	MicroSDXC	Directed I/O (VT-d) Intel Virtualization Technology (VT-	
Graphics		x)	✓
Discrete graphics card model *	Not available	Processor ARK ID	193555
On-board graphics card *	•	Battery	
Discrete graphics card *	×	Battery voltage	11.4 V
.		, ,	
On-board graphics card model *	Intel® UHD Graphics 620	Battery recharge time	4 h
On-board graphics card model * On-board graphics card base	Intel® UHD Graphics 620 300 MHz	Battery recharge time Power	4 h
On-board graphics card model *	300 MHz	Power	
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max)	•		4 h 65 W 50 - 60 Hz
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card	300 MHz	Power AC adapter power	65 W
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory	300 MHz 1100 MHz 32 GB	Power AC adapter power AC adapter frequency	65 W 50 - 60 Hz
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card	300 MHz 1100 MHz	Power AC adapter power AC adapter frequency AC adapter input voltage	65 W 50 - 60 Hz 100 - 240 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL	300 MHz 1100 MHz 32 GB	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current	65 W 50 - 60 Hz 100 - 240 V 3.34 A
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version	300 MHz 1100 MHz 32 GB 12.0 4.5	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID	300 MHz 1100 MHz 32 GB 12.0	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) *	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio chip	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0 Realtek ALC3254	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio Audio chip Audio system	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection Operational conditions	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio chip	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0 Realtek ALC3254 MaxxAudio Pro	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection Operational conditions Operating temperature (T-T)	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio Audio chip Audio system Number of built-in speakers	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0 Realtek ALC3254 MaxxAudio Pro 2	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection Operational conditions	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0 Realtek ALC3254 MaxxAudio Pro 2 Waves	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T)	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0 Realtek ALC3254 MaxxAudio Pro 2 Waves 2 W	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0 Realtek ALC3254 MaxxAudio Pro 2 Waves 2 W ✓	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0 Realtek ALC3254 MaxxAudio Pro 2 Waves 2 W	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0 Realtek ALC3254 MaxxAudio Pro 2 Waves 2 W ✓ 0.92 MP	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating shock Non-operating shock	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V
On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card OpenGL version On-board graphics card ID Audio Audio Audio chip Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Camera Front camera Front camera resolution (numeric)	300 MHz 1100 MHz 32 GB 12.0 4.5 0x3EA0 Realtek ALC3254 MaxxAudio Pro 2 Waves 2 W	Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Power Delivery (USB PD) * Security Cable lock slot Password protection Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock	65 W 50 - 60 Hz 100 - 240 V 3.34 A 19.5 V

Camera		Weight & dimensions	
Front camera HD type Video capturing speed	HD 30 fps	Width Depth Height (front)	321.4 mm 214.1 mm 1.78 cm
Network Wi-Fi Top Wi-Fi standard *	✓ Wi-Fi 5 (802.11ac) Wi-Fi 5 (802.11ac) 2x2 Intel Dual Band Wireless-AC 9560 ×	Height (rear) Weight *	1.9 cm 1.35 kg
Wi-Fi standards Antenna type		Packaging content AC adapter included *	*
WLAN controller model Ethernet LAN		Manual Power cord included	v
Bluetooth Bluetooth version	5.0	Other features Maximum internal memory (64-bit)	32 GB
Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2		

HDMI ports quantity *

HDMI version

1

1.4a



5397184260715

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.