

Epson EB-530 data projector Short throw projector 3200 ANSI lumens 3LCD XGA (1024x768) White, Grey

Brand : Epson

Article code: V11H673040

Product name : EB-530

Epson EB-530. Projector brightness: 3200 ANSI lumens, Projection technology: 3LCD, Projector native resolution: XGA (1024x768). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 6.4 mm, Fixed focal length: 6,4 mm. Video processing: 10 bit. Serial interface type: RS-232, USB connector type: USB Type-A, USB Type-B



Projector		Design	
Screen size compatibility *	1270 - 2743.2 mm (50 - 108")	Market positioning *	Presentation
Projection distance	0.5 - 1.3 m	Product type *	Short throw projector
Projector brightness *	3200 ANSI lumens	Product colour *	White, Grey
Projection technology *	3LCD	Placement	Desktop
Projector native resolution *	XGA (1024x768)	Cable lock slot	✓
Contrast ratio (typical) *	16000:1	Cable lock slot type	Kensington
Native aspect ratio *	4:3	Power	
Number of colours	1.07 billion colours	Power consumption (typical) *	298 W
Projector brightness (economic mode)	1800 ANSI lumens	Power consumption (standby) *	0.28 W
Vertical scan range	50 - 85 Hz	Power consumption (PowerSave)	221 W
Keystone correction, horizontal	-15 - 15°	Power consumption (economy mode)	221 W
Keystone correction, vertical	-15 - 15°	AC input voltage	100-240 V
White light output	3200 ANSI lumens	AC input frequency	50 - 60 Hz
Colour light output	3200 ANSI lumens	Operational conditions	
Light source		Operating temperature (T-T)	5 - 35 °C
Light source type *	Lamp	Storage temperature (T-T)	-10 - 60 °C
Service life of light source *	5000 h	Operating relative humidity (H-H)	20 - 80%
Service life of light source (economic mode)	10000 h	Storage relative humidity (H-H)	10 - 90%
Lamp power	215 W	Weight & dimensions	
Lens system		Width	344 mm
Focus *	Manual	Depth	315 mm
Focal length range	6.4 mm	Height	94 mm
Fixed focal length	6.4 mm	Weight *	3.7 kg
Zoom type	Auto	Package width	385 mm
Zoom ratio	1.35:1	Package depth	490 mm
Throw ratio	0.55:1	Package height	210 mm
Video		Package weight	5.86 kg
Full HD *	✗	Packaging content	
Video processing	10 bit	Remote control included *	✓
Ports & interfaces		Cables included	AC, VGA
S-Video inputs quantity	1	Manual	✓
USB 2.0 ports quantity	2	WLAN adapter included	✓

Ports & interfaces		Packaging content	
Audio (L/R) in *	1	Bundled software	EasyMP Monitor, iProjection, EasyMP Network Projection
Audio (L/R) out	1		
Headphone outputs	2		
Microphone in	✓		
Serial interface type *	RS-232		
VGA (D-Sub) ports quantity *	3		
HDMI ports quantity *	1		
USB connector type	USB Type-A, USB Type-B		
Composite video in *	1		
Component video (YPbPr/YCbCr) in *	2		
Network		Technical details	
Ethernet LAN *	✓	USB display function	3 in 1: Image / Mouse / Sound
Ethernet LAN data rates	10,100 Mbit/s	Sustainability certificates	TCO
Wi-Fi *	✓		
Features		Logistics data	
Noise level (economic mode)	29 dB	Quantity per pack	1 pc(s)
Noise level *	37 dB	Products per pallet	40 pc(s)
Country of origin	China	Pallet gross weight	0 g
Password protection	✓	Pallet gross length	120 cm
Multimedia		Pallet gross width	80 cm
Built-in speaker(s) *	✓	Pallet gross height	2.25 m
RMS rated power	16 W	Products per pallet layer	4 pc(s)
		Products per pallet layer (UK)	6 pc(s)
		Products per pallet (UK)	60 pc(s)
		Pallet weight (UK)	0 g
		Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	2.25 m
		Harmonized System (HS) code	85286200
		Other features	
		RS-232 ports	1



8715946541488

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-DEC-2024. Prints or copies of Information are only valid on the printed Publication date