## Epson EH-TW6150 data projector 2800 ANSI lumens 3LCD 4K (4096x2400) Black, White

**Brand :** Epson **Article code:** V11HA74040

**Product name:** EH-TW6150

Epson EH-TW6150. Projector brightness: 2800 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 4K (4096x2400). Light source type: Lamp, Service life of light source: 4500 h, Lamp type: UHE. Focus: Manual, Focal length range: 18.2 - 29.2 mm, Aperture range (F-F): 1,49 - 1,77. Noise level: 36 dB, Noise level (economic mode): 28 dB, Preset modes: Cinema, Dynamic, Game. RMS rated power: 10 W





Projector		Features	
Screen size compatibility * 1016 - 12700 mm (40 - 500")  Projection distance 2.34 - 3.81 m  Projector brightness * 2800 ANSI lumens  Projection technology * 3LCD  Projector native resolution * 4K (4096x2400)  Contrast ratio (typical) * 35000:1  Native aspect ratio * 16:9  Number of colours 1.07 billion colours  Keystone correction, horizontal Keystone correction, vertical -30 - 30°  Matrix size 1.55 cm (0.61")  Vertical synchronization (min) 192 kHz  Vertical synchronization (max) 240 kHz	2.34 - 3.81 m 2800 ANSI lumens 3LCD 4K (4096x2400) 35000:1 16:9 1.07 billion colours	HDCP Preset modes Noise level * Country of origin  Multimedia Built-in speaker(s) * RMS rated power	Cinema, Dynamic, Game 36 dB Philippines
		Design	TO AA
	-30 - 30° 1.55 cm (0.61") 192 kHz 240 kHz	Market positioning * Product colour * Cable lock slot Cable lock slot type	Home cinema Black, White  Kensington
Heat dissipation  Light source	1023.4 BTU/h	Power	
Light source type * Service life of light source * Lamp type Lamp power Lamp power (economic mode)	Lamp 4500 h UHE 200 W 7500 W	Power source * Power consumption (typical) * Power consumption (standby) * Power consumption (economy mode) AC input voltage	AC 301 W 0.4 W 231 W 100 - 240 V
Lens system		AC input frequency	50 - 60 Hz
Focus * Focal length range Aperture range (F-F) Zoom capability Throw ratio	Manual 18.2 - 29.2 mm 1.49 - 1.77  ✓ 1.32 - 2.15:1	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 35 °C -10 - 60 °C 20 - 80% 10 - 90%
Video		Weight & dimensions	
Analog signal format system * Full HD * 3D *	Not supported  ✓  ×	Width Depth Height	333 mm 275 mm 131 mm
Ports & interfaces USB 2.0 ports quantity USB 2.0 Type-A ports quantity USB 2.0 Type-B ports quantity HDMI ports quantity *	2 1 1 2	Weight * Package width Package depth Package height Package weight	4.1 kg 410 mm 380 mm 180 mm 5.96 kg

Storage		Packaging content	
Card reader integrated *	x	Remote control included *	✓
Features		Batteries included	✓
Noise level (economic mode)	28 dB	Cables included	AC
		Technical details	
		Commodity Classification Automated Tracking System (CCATS)	85286200000
		Logistics data	
		Harmonized System (HS) code	85286200000



8715946710624

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.